



## General Information

Material number	39283
Type	pendant light
Product segment	Indoor
Theme	Stars of Light (Crystal & Desi
Energy efficiency class (EEI)	D

## Dimensions

Article Height (in mm/in)	1500
Article Width (in mm/in)	320
Article Length (in mm/in)	1150
Net Weight (in kg)	7.2

## Material & Colour

Enclosure Material	steel
Enclosure Colour	chrome
Glass/Shade Material	brilliant glass
Glass/Shade Colour	clear

## Functionality

Switch Type	without switch
-------------	----------------

Function	LED not replaceable
Battery	No

## Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
Watt 1	38
Max.Watt incl.transformer/driver	43W
Nominal Lifetime (in h)	25000

## Illuminant 1

Number of Lamp socket / Light source 1	1
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	5600
Kelvin 1	4000
Light colour 1	WHITE
Nominal Lifetime (in h)	25000
Switching Cycles	15000
kW/1000h	43
Energy efficiency class (EEI)	D
Dimmable	Yes
Info changeability light source/driver	LED + driver can be exchanged by a specialist
Rated Lamp Power (0,1W precision)	39
Colour Tolerance (LED, SDCM)	<6

## Compatible Dimmers

NR.01: 2830 10 - BERKER

NR.02: 434 - PEHA

NR.03: 2250 U - BUSCH-JAEGER

NR.05: 266 GDE - JUNG

NR.07: 2262 00 - GIRA

NR.08: 2873 - BERKER

NR.09: 852,095 - OPUS

NR.10: 286710 - BERKER

NR.11: 5TC8 284 - SIEMENS

NR.12: 2247 U - BUSCH-JAEGER

NR.13: 6519 U - BUSCH-JAEGER

NR.14: 6513 U-102 - BUSCH-JAEGER

NR.15: 577199 - MERTEN

NR.16: 0307 00 - GIRA

NR.17: 433 HAB - PEHA

NR.18: 225 TDE - JUNG

NR.19: 7759 03 ADW-ETL4 - LEGRAND

Nr.20: 6523 U - BUSCH-JAEGER

Nr.22: Cat 400T - LEGRAND

Nr.24: 6524 U - BUSCH-JAEGER

Nr.25: 225 NV DE - JUNG

Nr.26: 315GLE - ELKO

Nr.27: H-GDM250 - HAMILTON

Nr.28: 8542 12 00 - BERKER

Nr.29: 5TC8 263 - SIEMENS

Nr.31: 5TC8211-0 - SIEMENS

Nr.32: System 2000 2385 00 - GIRA

Nr.33: ETD U2 - SCHALK

Nr.34: EUD61NPN-UC - ELTAKO



1 x 38 W

Technical changes reserved

3/3



Contact | Support  
[eglo.com/en/eglo-worldwide](https://eglo.com/en/eglo-worldwide)