

94712
GITA 2



General Information

Material number	94712
Type	wall/ceiling light
Product segment	Indoor
Theme	Bath
Energy efficiency class (EEI)	E

Dimensions

Article Height (in mm/in)	75
Article Width (in mm/in)	75
Article Length (in mm/in)	350
Net Weight (in kg)	0.72

Material & Colour

Enclosure Material	cast metal
Enclosure Colour	chrome
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch
-------------	----------------

Battery	No
---------	----

Technical Information

Protection Degree	IP44
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
Dimmable	No
Watt 1	8,3
Max.Watt incl.transformer/driver	8,3W
Nominal Lifetime (in h)	25000

Illuminant 1

Number of Lamp socket / Light source 1	1
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	1000
Kelvin 1	4000
Light colour 1	WHITE
Lumen with Cover	460
Nominal Lifetime (in h)	25000
Switching Cycles	15000
kW/1000h	8
Energy efficiency class (EEL)	E
Dimmable	No
Info changeability light source/driver	LED exchangeable by a specialist, no driver included
Rated Lamp Power (0,1W precision)	8,3
Colour Tolerance (LED, SDCM)	<6




1 x 8,3
W



IP44





Technical changes reserved

