



General Information

| | |
|-----------------|-----------------------------|
| Material number | 96932 |
| Type | pendant light |
| Product segment | Indoor |
| Theme | sonstige / nicht zuordenbar |

Dimensions

| | |
|-----------------------------|------|
| Article Height (in mm/in) | 1500 |
| Article Diameter (in mm/in) | 370 |
| Net Weight (in kg) | 3.43 |

Material & Colour

| | |
|----------------------|---------------|
| Enclosure Material | steel |
| Enclosure Colour | white, chrome |
| Glass/Shade Material | plastic |
| Glass/Shade Colour | satın finish |

Functionality

| | |
|-------------|---------------------|
| Switch Type | without switch |
| Function | LED not replaceable |
| Battery | No |

Technical Information

| | |
|----------------------------------|------------------|
| Protection Degree | IP20 |
| Protection Class | 2 |
| Mains Voltage | 220-240V,50/60Hz |
| Dimmable | Yes |
| Watt 1 | 2,2 |
| Max.Watt incl.transformer/driver | 25, 4W |
| Voltage | 220-240V 50/60Hz |
| U out | 25,5-43V |
| I out | 700mA |
| Hz | 100Hz |

Illuminant 1

| | |
|---|------------|
| Number of Lamp socket / Light source 1 | 10 |
| Lamp socket 1 | LED |
| Illuminant type 1 | LED |
| Illuminant 1 | Inclusive |
| Lumen each Lamp socket / Light source 1 | 250 |
| Kelvin 1 | 3000 |
| Light colour 1 | WARM WHITE |
| Dimmable | Yes |

Compatible Dimmers

NR.02: 434 - PEHA

NR.08: 2873 - BERKER

NR.10: 286710 - BERKER

NR.11: 5TC8 284 - SIEMENS

NR.13: 6519 U - BUSCH-JAEGER

NR.14: 6513 U-102 - BUSCH-JAEGER

NR.15: 577199 - MERTEN

NR.16: 0307 00 - GIRA

NR.17: 433 HAB - PEHA

NR.18: 225 TDE - JUNG

NR.19: 7759 03 ADW-ETL4 - LEGRAND

Nr.20: 6523 U - BUSCH-JAEGER

Nr.21: 32E450UDM - CLIPSAL

Nr.22: Cat 400T - LEGRAND

Nr.24: 6524 U - BUSCH-JAEGER

Nr.26: 315GLE - ELKO

Nr.27: H-GDM250 - HAMILTON

Nr.28: 8542 12 00 - BERKER

Nr.30: 852,096 - OPUS

Nr.32: System 2000 2385 00 - GIRA

Nr.33: ETD U2 - SCHALK

Nr.35: 6523 U-102 - BUSCH-JAEGER



10 x 2.2 10 x 250

W lm

Technical changes reserved

3/3



Contact | Support
eglo.com/en/eglo-worldwide